

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/475,804	12/30/1999	WALTER ROSSI	856063.631	6887		
500	7590 01/30/2004		EXAMINER			
	ELLECTUAL PROPER	NGUYEN, D	NGUYEN, DUC MINH			
701 FIFTH A SUITE 6300	· · · -	ART UNIT	PAPER NUMBER			
	WA 98104-7092	2643				
		•	DATE MAILED: 01/30/2004	10		

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application	on No.	Applicant(s)				
. Office Action Summary			09/475,80		ROSSI ET AL.				
			Examiner		Art Unit				
			Duc Nguy	en	2643				
	The MAILING DATE of this commu	nication appe			orrespondence ac	Idress			
Period for Reply									
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).  Status									
	Responsive to communication(s) fi	led on	•						
•	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.								
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
4) 🖾	4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
•	5)⊠ Claim(s) <u>1-15</u> is/are allowed.								
	6)⊠ Claim(s) <u>16-20</u> is/are rejected.								
	Claim(s) is/are objected to.								
8)∐	Claim(s) are subject to restr	iction and/or	election re	equirement.					
Applicati	on Papers								
9) The specification is objected to by the Examiner.									
10)∐	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.								
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority under 35 U.S.C. §§ 119 and 120									
12)									
Attachment				A [ ]	(DTO 440) 5				
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review ( nation Disclosure Statement(s) (PTO-1449)		·	4) Interview Summary (5) Notice of Informal Pa					

Application/Control Number: 09/475,804

Art Unit: 2643

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 16-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Guercio et al (5,796,815).

Consider claim 16. Guercio teaches a method of minimizing an overall voltage during a ringing function of a subscriber telephone circuit provided with a means battery voltage (power supply 214; col. 7, ln. 1-7), comprising applying a tip ringing to a tip terminal (either the input terminal of the communications circuit 210; col. 6, ln. 29-52); applying a ring ringing signal to a first terminal of a network (terminal 202 connecting to the telephone network); attenuating the ring ringing signal through a capacitive network (206, fig. 2; col. 4, ln. 39-64; col. 9, ln. 36 to col. 10, ln. 45); and applying the attenuated ring ringing signal to a ring terminal (either the input terminal of the communications circuit 210; col. 6, ln. 29-52).

Consider claim 17. Guercio inherently teaches coupling the attenuated ring ringing signal through a resistive network to a negative battery voltage, since the ringing signal, which is applied to the ring and tip lines, is nominally a 20 Hz, 100 VRMS signal. This AC signal is superimposed on either the positive battery voltage +48 VDC, or the negative voltage -48 VDC.

Application/Control Number: 09/475,804

Art Unit: 2643

Consider claim 18. Guercio further teaches attenuating the ringing signal through a capacitive network comprises modifying the ring ringing signal through an inductive capacitive network (C 260, L 211 and R 212, fig. 2; col. 9, ln. 36-52).

Consider claim 19. Guercio teaches a method of minimizing an overall voltage during a ringing function of a subscriber telephone circuit provided with a means battery voltage (power supply 214; col. 7, ln. 1-7), comprising applying a tip ringing to a tip terminal (either the input terminal of the communications circuit 210; col. 6, ln. 29-52); applying a ring ringing signal to a first terminal of a network (terminal 202 connecting to the telephone network); attenuating the ring ringing signal through a capacitive network (206, fig. 2; col. 4, ln. 39-64; col. 9, ln. 36 to col. 10, ln. 45); and applying the attenuated ring ringing signal to a ring terminal (either the input terminal of the communications circuit 210; col. 6, ln. 29-52. It is noted that the hook-switch (106) and capacitor (206) can be installed in either wire of the telephone wires (204, col. 6, ln. 29-52). Typically, the voltage of the tip wire is approximately 0 volts, and the ring wire is at a -48 volt potential. In case the hook-switch (106) and the capacitor (206) is installed in the ring line, upon receiving the off-hook signal (i.e., reverse battery signaling), the voltage of the tip wire is approximately -48 volt potential, and the ring wire is at 0 volt potential. It is also noted that in the off-hook position, hook-switch (106) shorts out the capacitor (206).

Consider claim 20. Guercio inherently teaches coupling the attenuated ring ringing signal through a resistive network to a negative battery voltage, since the ringing signal, which is applied to the ring and tip lines, is nominally a 20 Hz, 100 VRMS signal. This AC signal is superimposed on either the positive battery voltage +48 VDC, or the negative voltage -48 VDC.

## Allowable Subject Matter

3. Claims 1-15 are allowed over the prior art of record.

### Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duc Nguyen whose telephone number is 703-308-7527. The examiner can normally be reached on 6:00AM-2:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on 703-305-4708. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-6000.

Duc Nguyen
Primary Examiner
Art Unit 2643

1/16/04